

Date of c	compilation: 25/07/2023 Version: 1
SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: Screenwash Concentrate
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
1.2	Relevant uses: Car windscreen washer; automotive applications
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	GARDX INTERNATIONAL LTD LAKE HOUSE, 2 PORT WAY, PORT SOLENT, PO6 4TY PORTSMOUTH - UNITED KINGDOM Phone: +44 (0)1243 376426 product@gardx.co.uk www.gardx.co.uk
	AUTOMOTOSOL S.R.O
	RYBNÁ 716/24
	PRAHA 1 110 00
	CZECH REPUBLIC
1.4	+420 222 703288 Emergency telephone number: CNN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ + 442038850382. NPIS: 0844 892 0111 (healthcare professionals only) or NHS 111
2.1	ION 2: HAZARDS IDENTIFICATION Classification of the substance or mixture:
	GB CLP Regulation:
	Classification of this product has been carried out in accordance with GB CLP Regulation.
	Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317
2.2	Label elements:
	GB CLP Regulation:
	Warning
	Hazard statements:
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.
	Precautionary statements:
	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children.
	P264: Wash thoroughly after use. P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P501: Dispose of the contents and/or its container using the separate collection system in your municipality.
	Supplementary information:
	Contains 1,2-benzisothiazol-3(2H)-one, Linalool.

- CONTINUED ON NEXT PAGE -



Date of compilation: 25/07/2023 Version: 1

SECTION 2: HAZARDS IDENTIFICATION (continued

Substances that contribute to the classification

2-methylisothiazol-3(2H)-one (CAS: 2682-20-4)

Labelling for contents:

Component	Concentration interval
Anionic surfactants	5 <= % (w/w) < 15
perfumes	

Allergenic fragrances: 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (alpha-ISOMETHYL IONONE), benzyl alcohol (BENZYL ALCOHOL), Citronellol (CITRONELLOL), Linalool (LINALOOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE).

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of alcohols and colourants

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	68891-38-3	Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	3 - <10 %
CAS:	64-17-5	ethanol Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	1 - <3 %
CAS:	137-16-6	Sodium N-lauroylsarcosinate Acute Tox. 2: H330; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <3 %
CAS:	2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Corr. 1B: H314; STOT RE 2: H373 - Danger	<1 %
CAS:	2682-20-4	2-methylisothiazol-3(2H)-one Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %
CAS:	2634-33-5	1,2-benzisothiazol-3(2H)-one Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<1 %
CAS:	67-63-0	propan-2-ol Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	<1 %
CAS:	78-70-6	Linalool Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %
CAS:	1310-73-2	sodium hydroxide Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	<1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
2-methylisothiazol-3(2H)-one	LD50 oral	Non-applicable	
CAS: 2682-20-4	LD50 dermal	Non-applicable	
	LC50 inhalation	0.5 mg/L (ATEi)	
Sodium N-lauroylsarcosinate	LD50 oral	Non-applicable	
CAS: 137-16-6	LD50 dermal	Non-applicable	
	LC50 inhalation	0.5 mg/L (ATEi)	



Date of compilation: 25/07/2023 Version: 1

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.



Date of compilation: 25/07/2023 Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 4 ºC

Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification		Occupational exposure limits			
sodium hydroxide		WEL (8h)			
CAS: 1310-73-2		WEL (15 min)		2 mg/m ³	
ethanol		WEL (8h)	1000 ppm	1920 mg/m ³	
CAS: 64-17-5		WEL (15 min)			
propan-2-ol		WEL (8h)	400 ppm	999 mg/m³	
CAS: 67-63-0		WEL (15 min)	500 ppm	1250 mg/m ³	

DNEL (Workers):



Date of compilation: 25/07/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m³	Non-applicable
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m ³	Non-applicable
Sodium N-lauroylsarcosinate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 137-16-6	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 205-281-5	Inhalation	Non-applicable	Non-applicable	70.53 mg/m ³	Non-applicable
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2372-82-9	Dermal	Non-applicable	Non-applicable	8.96 mg/kg	Non-applicable
EC: 219-145-8	Inhalation	Non-applicable	Non-applicable	0.789 mg/m ³	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0.966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6.81 mg/m ³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	3.5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	24.58 mg/m ³	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m ³	Non-applicable
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m ³	Non-applicable
Sodium N-lauroylsarcosinate	Oral	Non-applicable	Non-applicable	10 mg/kg	Non-applicable
CAS: 137-16-6	Dermal	Non-applicable	Non-applicable	10 mg/kg	Non-applicable
EC: 205-281-5	Inhalation	Non-applicable	Non-applicable	17.39 mg/m ³	Non-applicable
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Oral	Non-applicable	Non-applicable	0.04 mg/kg	Non-applicable
CAS: 2372-82-9	Dermal	Non-applicable	Non-applicable	3.2 mg/kg	Non-applicable
EC: 219-145-8	Inhalation	Non-applicable	Non-applicable	0.118 mg/m ³	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	0.053 mg/kg	Non-applicable	0.027 mg/kg	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0.345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1.2 mg/m ³	Non-applicable



Date of compilation: 25/07/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	LC	ong exposure	
Identification		Systemic	Local	Systemic	Local	
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable	
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable	
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable	
Linalool	Oral	Non-applicable	Non-applicable	2.49 mg/kg	Non-applicable	
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	1.25 mg/kg	Non-applicable	
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	4.33 mg/m ³	Non-applicable	
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable		
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³	
PNEC:						
Identification						
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO,					1	
sulfates, sodium salts	STP	10000 mg/L	Fresh water		0.24 mg/L	
CAS: 68891-38-3	Soil	7.5 mg/kg	Marine water		0.024 mg/L	
EC: 500-234-8	Intermittent	0.071 mg/L	Sediment (Fresh w	vater)	0.917 mg/kg	
	Oral	Non-applicable	Sediment (Marine	water)	0.092 mg/kg	
ethanol	STP	580 mg/L	Fresh water		0.96 mg/L	
CAS: 64-17-5	Soil	0.63 mg/kg	Marine water		0.79 mg/L	
EC: 200-578-6	Intermittent	2.75 mg/L	Sediment (Fresh w	vater)	3.6 mg/kg	
	Oral	0.38 g/kg	Sediment (Marine	water)	2.9 mg/kg	
Sodium N-lauroylsarcosinate	STP	3 mg/L	Fresh water		0.009 mg/L	
CAS: 137-16-6	Soil	0.008 mg/kg	Marine water			
EC: 205-281-5	Intermittent	0.089 mg/L	Sediment (Fresh w	vater)	0.001 mg/L 0.064 mg/kg	
	Oral	Non-applicable	Sediment (Marine		0.006 mg/kg	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	STP	0.18 mg/L	Fresh water		0.001 mg/L	
CAS: 2372-82-9	Soil	45.34 mg/kg	Marine water		0 mg/L	
EC: 219-145-8	Intermittent	0 mg/L	Sediment (Fresh w	vater)	3.2 mg/kg	
	Oral	Non-applicable	Sediment (Marine	· · ·	0.13 mg/kg	
2-methylisothiazol-3(2H)-one	STP	0.23 mg/L	Fresh water		0.00339 mg/L	
CAS: 2682-20-4	Soil	0.047 mg/kg	Marine water		0.00339 mg/L	
EC: 220-239-6	Intermittent	0.00339 mg/L	Sediment (Fresh w	(ator)	Non-applicable	
EC. 220-239-0	Oral	Non-applicable	Sediment (Marine		Non-applicable	
				watery		
1,2-benzisothiazol-3(2H)-one	STP Soil	1.03 mg/L	Fresh water Marine water		0.00403 mg/L 0.000403 mg/L	
CAS: 2634-33-5 EC: 220-120-9	Intermittent	3 mg/kg 0.0011 mg/L		(ator)	0.000403 mg/kg	
EC: 220-120-9			Sediment (Fresh w			
2.1	Oral	Non-applicable	Sediment (Marine	water)	0.00499 mg/kg	
propan-2-ol	STP	2251 mg/L	Fresh water		140.9 mg/L	
CAS: 67-63-0	Soil	28 mg/kg	Marine water		140.9 mg/L	
EC: 200-661-7	Intermittent	140.9 mg/L	Sediment (Fresh w	•	552 mg/kg	
	Oral	0.16 g/kg	Sediment (Marine	water)	552 mg/kg	
Linalool	STP	10 mg/L	Fresh water		0.2 mg/L	
CAS: 78-70-6	Soil	0.327 mg/kg	Marine water		0.02 mg/L	
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh w		2.22 mg/kg	

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



Date of compilation: 25/07/2023 Version: 1

ECTION	8: EXPOSURE CO	NTROLS/PERSONAL PROTECTION (co	ntinued)			
	Pictogram	PPE	Remarks			
	Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A2)	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.			
C	Specific protection	for the hands				
	Pictogram	PPE	Remarks			
	Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.062 mm, Conditions of use: Normal)	Replace the gloves at any sign of deterioration.			
D		herefore to be checked prior to the applicat	e of the glove material can not be calculated in advance with total ion.			
	Pictogram	PPE	Remarks			
	Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use there is a risk of splashing.			
E	E Body protection					
	Pictogram	PPE	Remarks			
		Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to th product for professional/industrial users CE III is recommended, in accordance with th regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994			
		Anti-slip work shoes	Replace before any evidence of deterioration. For periods of prolonged exposure to th product for professional/industrial users CE III is recommended, in accordance with th regulations in EN ISO 20345:2012 y EN 13832-1:2007			
F	Additional emerger	ncy measures				
	Emergency mea	sure Standards	Emergency measure Standards			
	Emergency sho	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 wer	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 Eyewash stations			
Env	Environmental exposure controls:					
	accordance with the	community legislation for the protection of s container. For additional information see	the environment it is recommended to avoid environmental spillage of subsection 7.1.D			
	accordance with the					
bot	accordance with the the the product and it					
bot ECTION	accordance with the th the product and it 9: PHYSICAL AND	s container. For additional information see				
bot ECTION 1 Infe	accordance with the th the product and it 9: PHYSICAL AND	s container. For additional information see s				
bot ECTION 1 Infe Ap	accordance with the th the product and it 9: PHYSICAL AND formation on basic p	s container. For additional information see s	subsection 7.1.D			
bot ECTION 1 Infe Ap Phy	accordance with the th the product and it 9: PHYSICAL AND ormation on basic p pearance:	s container. For additional information see s CHEMICAL PROPERTIES hysical and chemical properties: Liqui	subsection 7.1.D			
ECTION 1 Info App App	accordance with the th the product and it 9: PHYSICAL AND formation on basic p pearance: ysical state at 20 ºC:	s container. For additional information see s CHEMICAL PROPERTIES hysical and chemical properties: Liqui	d			

Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

Odour threshold:



Date of compilation: 25/07/2023 Version: 1

SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIES (con	tinued)
	Volatility:	
	Boiling point at atmospheric pressure:	100 ºC
	Vapour pressure at 20 °C:	2399 Pa
	Vapour pressure at 50 ºC:	12588.29 Pa (12.59 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 ºC:	Non-applicable *
	Relative density at 20 ºC:	1.002
	Dynamic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 40 ºC:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	9.4 (at 100 %)
	Vapour density at 20 ºC:	Non-applicable *
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	64 ºC
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	235 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics: Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing information of the product of the	ion property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:



Date of compilation: 25/07/2023 Version: 1

SECTION 10: STABILITY AND REACTIVITY (continued

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:



Date of compilation: 25/07/2023 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	Acute toxicity		
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat	
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat	
	LC50 inhalation	0.5 mg/L (ATEi)		
ethanol	LD50 oral	6200 mg/kg	Rat	
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit	
	LC50 inhalation	124.7 mg/L (4 h)	Rat	
Sodium N-lauroylsarcosinate	LD50 oral	>5000 mg/kg	Rat	
CAS: 137-16-6	LD50 dermal	Non-applicable		
	LC50 inhalation	0.5 mg/L (ATEi)		
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD50 oral	261 mg/kg	Rat	
CAS: 2372-82-9	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat	
CAS: 2634-33-5	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		
propan-2-ol	LD50 oral	5280 mg/kg	Rat	
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat	
	LC50 inhalation	72.6 mg/L (4 h)	Rat	
Linalool	LD50 oral	3000 mg/kg	Rat	
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit	
	LC50 inhalation	Non-applicable		
sodium hydroxide	LD50 oral	>2000 mg/kg		
CAS: 1310-73-2	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	LC50	7.1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7.4 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae



ued)

Date of compilation: 25/07/2023 Version: 1

		SECTION 12: ECOLOGICAL INFORMATION (contin
--	--	--------------------------------------	--------

Identification		Concentration	Species	Genus	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LC50	>0.1 - 1 mg/L (96 h)		Fish	
CAS: 2372-82-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean	
	EC50	>0.1 - 1 mg/L (72 h)		Algae	
2-methylisothiazol-3(2H)-one	LC50	4.77 mg/L (96 h)	Oncorhynchus mykiss	Fish	
CAS: 2682-20-4	EC50	0.934 mg/L (48 h)	Daphnia magna	Crustacean	
	EC50	Non-applicable			
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 mg/L (96 h)		Fish	
CAS: 2634-33-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacear	
	EC50	>0.1 - 1 mg/L (72 h)		Algae	
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacear	
	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae	
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish	
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean	
	EC50	Non-applicable			

Chronic toxicity:

Identification		Concentration	Species	Genus
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	NOEC	0.2 mg/L	Oncorhynchus mykiss	Fish
CAS: 68891-38-3	NOEC	0.27 mg/L	Daphnia magna	Crustacean
ethanol	NOEC	250 mg/L	Danio rerio	Fish
CAS: 64-17-5	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean
2-methylisothiazol-3(2H)-one	NOEC	4.93 mg/L	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	NOEC	0.044 mg/L	Daphnia magna	Crustacean

12.2

Substance-specific information:

Identification	Degr	adability	Biodegradability	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	BOD5	Non-applicable	Concentration	10.5 mg/L
CAS: 68891-38-3	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	89 %
2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 2682-20-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	55.8 %
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	0 %
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification Bioaccumulation po		nulation potential	
ethanol	BCF	F	3
CAS: 64-17-5	Pow	w Log	-0.31
	Pote	tential	Low



Date of compilation: 25/07/2023 Version: 1

Identification	Bio	accumulation potential
2-methylisothiazol-3(2H)-one	BCF	
CAS: 2682-20-4	Pow Log	-0.49
	Potential	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5	BCF	2
	Pow Log	1.45
	Potential	Low
propan-2-ol CAS: 67-63-0	BCF	3
	Pow Log	0.05
	Potential	Low
Linalool	BCF	
CAS: 78-70-6	Pow Log	2.97
	Potential	

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
ethanol	Кос	1	Henry	4.61E-1 Pa·m³/mol	
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes	
	Surface tension	2.339E-2 N/m (25 ºC)	Moist soil	Yes	
2-methylisothiazol-3(2H)-one	Кос	Non-applicable	Henry	0E+0 Pa·m³/mol	
CAS: 2682-20-4	Conclusion	Non-applicable	Dry soil	Non-applicable	
	Surface tension	Non-applicable	Moist soil	Non-applicable	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa∙m³/mol	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes	
	Surface tension	2.24E-2 N/m (25 ºC)	Moist soil	Yes	

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Type of waste:

HP14 Ecotoxic, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- CONTINUED ON NEXT PAGE -



Date of compilation: 25/07/2023 Version: 1

SECTION 15: REGULATORY INFORMATION (continued

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Anionic surfactants	5 <= % (w/w) < 15
perfumes	

Allergenic fragrances: 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (alpha-ISOMETHYL IONONE), benzyl alcohol (BENZYL ALCOHOL), Citronellol (CITRONELLOL), Linalool (LINALOOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE).

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

GB CLP Regulation:



Date of compilation: 25/07/2023 Version: 1
SECTION 16: OTHER INFORMATION (continued)
 Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Met. Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H314 - Causes severe skin burns and eye damage. Skin Corr. 18: H314 - Causes and eye damage. Skin Sens. 11: H315 - Causes and llergic skin reaction. Skin Sens. 11: H317 - May cause an allergic skin reaction. Skin Sens. 11: H317 - May cause an allergic skin reaction. Stor RE 2: H373 - May cause an allergic skin reaction.
STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). STOT SE 3: H336 - May cause drowsiness or dizziness.
Classification procedure:
Eye Irrit. 2: Calculation method Aquatic Chronic 3: Calculation method Skin Sens. 1A: Calculation method
Advice related to training:
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources:
http://echa.europa.eu http://eur-lex.europa.eu
Abbreviations and acronyms:
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOgPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon
UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.