

| DEC | TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING  |     |
|-----|---|-----|
| L.1 | Product identifier: Anti-Mist Window Cleaner  |     |
|     | Other means of identification:  |     |
|     | Non-applicable  |     |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against:  |     |
|     | Relevant uses: Multiuse cleaner   |     |
|     | Uses advised against: All uses not specified in this section or in section 7.3  |     |
| 1.3 | Details of the supplier of the safety data sheet:   |     |
|     | GARDX INTERNATIONAL LTD<br>LAKE HOUSE, 2 PORT WAY, PORT SOLENT,<br>PO6 4TY PORTSMOUTH - UNITED KINGDOM<br>Phone: +44 (0)1243 376426<br>product@gardx.co.uk<br>www.gardx.co.uk   |     |
|     | AUTOMOTOSOL S.R.O<br>RYBNÁ 716/24<br>PRAHA 1  |     |
|     | 110 00<br>CZECH REPUBLIC  |     |
|     | +420 222 703288   |     |
| 1.4 | Emergency telephone number: CNN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ + 442038850382. NPIS: 0844 892 0111 (healthcare professionals only) or NHS 111  |     |
|     |   |     |
| SEC | TION 2: HAZARDS IDENTIFICATION  |     |
| 2.1 | Classification of the substance or mixture:   |     |
|     | GB CLP Regulation:  |     |
|     | The product is not classified as hazardous according to GB CLP Regulation.  |     |
| 2.2 | Label elements:   |     |
|     | GB CLP Regulation:  |     |
|     |   |     |
|     | Hazard statements:  |     |
|     | Hazard statements:<br>Non-applicable  |     |
|     |   |     |
|     | Non-applicable  |     |
|     | Non-applicable         Precautionary statements:         P102: Keep out of reach of children.         P280: Wear protective gloves.         P333+P313: If skin irritation or rash occurs: Get medical advice/attention.         P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment         Supplementary information:         EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allerg reaction. | gic |
| 2.3 | Non-applicable Precautionary statements: P102: Keep out of reach of children. P280: Wear protective gloves. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment Supplementary information: EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allerge  | gic |

Product does not meet PBT/vPvB criteria

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

- Non-applicable
- 3.2 Mixture:



Date of compilation: 17/03/2023 Revised: 18/08/2023

Version: 2 (Replaced 1)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

# Chemical description: Tensoactive/s

## Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

|      | Identification | Chemical name/Classification   | Concentration |
|------|----------------|--|---------------|
| CAS: | 111-76-2       | 2-butoxyethanol<br>Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning   | 3 - <10 %     |
| CAS: | 64-17-5        | <b>ethanol</b><br>Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger  | <1 %          |
| CAS: | 55965-84-9     | Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin<br>Sens. 1A: H317; EUH071 - Danger | <1 %          |
| CAS: | 1310-73-2      | <b>sodium hydroxide</b><br>Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger  | <1 %          |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

|   | Identification  | Acu             | te toxicity       | Genus |
|---|-----------------|-----------------|-------------------|-------|
| 1 | 2-butoxyethanol | LD50 oral       | 1200 mg/kg (ATEi) | Rat   |
| ( | CAS: 111-76-2   | LD50 dermal     | Non-applicable    |       |
|   |                 | LC50 inhalation | 3 mg/L (ATEi)     |       |

## SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

## By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

## By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.



Date of compilation: 17/03/2023 Revised: 18/08/2023

Version: 2 (Replaced 1)

## SECTION 5: FIREFIGHTING MEASURES (continued)

## Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

## Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:

- CONTINUED ON NEXT PAGE -

4 ºC



Date of compilation: 17/03/2023

Version: 2 (Replaced 1)

## SECTION 7: HANDLING AND STORAGE (continued

Maximum Temp.: 40 ºC

## B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

Revised: 18/08/2023

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification   | Occupational exposure limits |          |                        |  |
|------------------|------------------------------|----------|------------------------|--|
| 2-butoxyethanol  | WEL (8h)                     | 25 ppm   | 123 mg/m <sup>3</sup>  |  |
| CAS: 111-76-2    | WEL (15 min)                 | 50 ppm   | 246 mg/m <sup>3</sup>  |  |
| sodium hydroxide | WEL (8h)                     |          |                        |  |
| CAS: 1310-73-2   | WEL (15 min)                 |          | 2 mg/m <sup>3</sup>    |  |
| ethanol          | WEL (8h)                     | 1000 ppm | 1920 mg/m <sup>3</sup> |  |
| CAS: 64-17-5     | WEL (15 min)                 |          |                        |  |

## **Biological limit values:**

BIOLOGICAL MONITORING GUIDANCE VALUES (BMGVS) - EH40/2005

| Identification                   | NULL            | NULL                       | NULL       |
|----------------------------------|-----------------|----------------------------|------------|
| 2-butoxyethanol<br>CAS: 111-76-2 | 280 mg/g (NULL) | Butoxyacetic acid in urine | Post shift |

## DNEL (Workers):

|                  |            | Short e        | xposure               | Long ex        | kposure        |
|------------------|------------|----------------|-----------------------|----------------|----------------|
| Identification   |            | Systemic       | Local                 | Systemic       | Local          |
| 2-butoxyethanol  | Oral       | Non-applicable | Non-applicable        | Non-applicable | Non-applicable |
| CAS: 111-76-2    | Dermal     | 89 mg/kg       | Non-applicable        | 125 mg/kg      | Non-applicable |
| EC: 203-905-0    | Inhalation | 1091 mg/m³     | 246 mg/m <sup>3</sup> | 98 mg/m³       | Non-applicable |
| ethanol          | Oral       | Non-applicable | Non-applicable        | Non-applicable | Non-applicable |
| CAS: 64-17-5     | Dermal     | Non-applicable | Non-applicable        | 343 mg/kg      | Non-applicable |
| EC: 200-578-6    | Inhalation | Non-applicable | Non-applicable        | 950 mg/m³      | Non-applicable |
| sodium hydroxide | Oral       | Non-applicable | Non-applicable        | Non-applicable | Non-applicable |
| CAS: 1310-73-2   | Dermal     | Non-applicable | Non-applicable        | Non-applicable | Non-applicable |
| EC: 215-185-5    | Inhalation | Non-applicable | Non-applicable        | Non-applicable | 1 mg/m³        |

## **DNEL (General population):**

| Systemic<br>Non-applicable<br>89 mg/kg | Local<br>Non-applicable  | Systemic<br>6.3 mg/kg   | Local  |
|--|--|---|--|
|  | Non-applicable   | 6 3 mg/kg   |  |
| 89 mg/kg                               |  | 010 1116/116  | Non-applicable   |
|  | Non-applicable   | 75 mg/kg  | Non-applicable   |
| 426 mg/m³                              | 147 mg/m³  | 59 mg/m³  | Non-applicable   |
| Non-applicable                         | Non-applicable   | 87 mg/kg  | Non-applicable   |
| Non-applicable                         | Non-applicable   | 206 mg/kg   | Non-applicable   |
| Non-applicable                         | Non-applicable   | 114 mg/m <sup>3</sup>   | Non-applicable   |
| Non-applicable                         | Non-applicable   | Non-applicable  | Non-applicable   |
| Non-applicable                         | Non-applicable   | Non-applicable  | Non-applicable   |
| Non-applicable                         | Non-applicable   | Non-applicable  | 1 mg/m³  |
|  | Ion-applicable<br>Ion-applicable<br>Ion-applicable<br>Ion-applicable | Ion-applicable         Non-applicable           Ion-applicable         Non-applicable           Ion-applicable         Non-applicable           Ion-applicable         Non-applicable           Ion-applicable         Non-applicable           Ion-applicable         Non-applicable | Ion-applicable         Non-applicable         87 mg/kg           Ion-applicable         Non-applicable         206 mg/kg           Ion-applicable         Non-applicable         114 mg/m³           Ion-applicable         Non-applicable         Non-applicable           Ion-applicable         Non-applicable         Non-applicable           Ion-applicable         Non-applicable         Non-applicable           Ion-applicable         Non-applicable         Non-applicable |



## Date of compilation: 17/03/2023 Re

Revised: 18/08/2023

Version: 2 (Replaced 1)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification  |              |            |                         |            |
|-----------------|--------------|------------|-------------------------|------------|
| 2-butoxyethanol | STP          | 463 mg/L   | Fresh water             | 8.8 mg/L   |
| CAS: 111-76-2   | Soil         | 2.33 mg/kg | Marine water            | 0.88 mg/L  |
| EC: 203-905-0   | Intermittent | 26.4 mg/L  | Sediment (Fresh water)  | 34.6 mg/kg |
|                 | Oral         | 0.02 g/kg  | Sediment (Marine water) | 3.46 mg/kg |
| ethanol         | STP          | 580 mg/L   | Fresh water             | 0.96 mg/L  |
| CAS: 64-17-5    | Soil         | 0.63 mg/kg | Marine water            | 0.79 mg/L  |
| EC: 200-578-6   | Intermittent | 2.75 mg/L  | Sediment (Fresh water)  | 3.6 mg/kg  |
|                 | Oral         | 0.38 g/kg  | Sediment (Marine water) | 2.9 mg/kg  |

## 8.2

## .2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram                    | PPE  | Remarks  |
|------------------------------|--|--|
| Mandatory hand<br>protection | Protective gloves against minor risks (Material: Latex<br>(natural rubber), Breakthrough time: > 480 min,<br>Thickness: 0.062 mm, Conditions of use: Normal) | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |
| Mandatory hand<br>protection | Protective gloves against minor risks (Material:<br>Nitrile, Breakthrough time: > 480 min, Thickness:<br>0.062 mm, Conditions of use: Normal)                | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram                    | PPE   | Remarks   |
|------------------------------|---|---|
| Mandatory face<br>protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Work clothing        | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|----------------------|---|
| Anti-slip work shoes | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007                                 |



| CTION 8 | 8: EXPOSURE CONTROLS, | PERSONAL PROTECTION (continu                    | ed)               |  |
|---------|-----------------------|---|-------------------|--|
|         | Emergency measure     | Standards                                       | Emergency measure | Standards                                      |
|         | +                     | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | ()<br>+           | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |
|         | Emergency shower      |   | Eyewash stations  |  |

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 | Information on basic physical and chemical properties:                    |                            |
|-----|---|----------------------------|
|     | Appearance:   |                            |
|     | Physical state at 20 ºC:  | Liquid                     |
|     | Appearance:   | Transparent                |
|     | Colour:   | Colourless                 |
|     | Odour:  | Characteristic             |
|     | Odour threshold:  | Non-applicable *           |
|     | Volatility:   |                            |
|     | Boiling point at atmospheric pressure:                                    | 103 ºC                     |
|     | Vapour pressure at 20 °C:   | 2322 Pa                    |
|     | Vapour pressure at 50 ºC:   | 12235.13 Pa (12.24 kPa)    |
|     | Evaporation rate at 20 °C:  | Non-applicable *           |
|     | Product description:  |                            |
|     | Density at 20 ºC:   | Non-applicable *           |
|     | Relative density at 20 ºC:  | 0.985 - 0.995              |
|     | Dynamic viscosity at 20 ºC:   | Non-applicable *           |
|     | Kinematic viscosity at 20 ºC:   | Non-applicable *           |
|     | Kinematic viscosity at 40 ºC:   | Non-applicable *           |
|     | Concentration:  | Non-applicable *           |
|     | pH:   | 4.5 - 6.5 (at 100 %)       |
|     | Vapour density at 20 ºC:  | Non-applicable *           |
|     | Partition coefficient n-octanol/water 20 °C:                              | Non-applicable *           |
|     | Solubility in water at 20 °C:   | Non-applicable *           |
|     | Solubility properties:  | Highly water-soluble       |
|     | Decomposition temperature:  | Non-applicable *           |
|     | Melting point/freezing point:   | Non-applicable *           |
|     | Flammability:   |                            |
|     | Flash Point:  | Non Flammable (>60 ºC)     |
|     | Flammability (solid, gas):  | Non-applicable *           |
|     | Autoignition temperature:   | Non-applicable *           |
|     | Lower flammability limit:   | Non-applicable *           |
|     | Upper flammability limit:   | Non-applicable *           |
|     | Particle characteristics:   |                            |
|     | Median equivalent diameter:   | Non-applicable             |
| 9.2 | Other information:  |                            |
|     | *Not relevant due to the nature of the product, not providing information | n property of its hazards. |



| Date of compilation: 17/03/2023 Revised            | 1: 18/08/2023   | Version: 2 (Replaced 1)         |  |  |  |
|--|---|---------------------------------|--|--|--|
| SECTION 9: PHYSICAL AND CHEMICAL                   | SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) |                                 |  |  |  |
| Information with regard to physical                | Information with regard to physical hazard classes:     |                                 |  |  |  |
| Explosive properties:                              |   | Non-applicable *                |  |  |  |
| Oxidising properties:                              |   | Non-applicable *                |  |  |  |
| Corrosive to metals:                               |   | Non-applicable *                |  |  |  |
| Heat of combustion:                                |   | Non-applicable *                |  |  |  |
| Aerosols-total percentage (by mass) of components: | of flammable  | Non-applicable *                |  |  |  |
| Other safety characteristics:                      |   |                                 |  |  |  |
| Surface tension at 20 ºC:                          |   | Non-applicable *                |  |  |  |
| Refraction index:                                  |   | Non-applicable *                |  |  |  |
| *Not relevant due to the nature of the produ       | uct. not providing inform                               | nation property of its hazards. |  |  |  |

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight   | Humidity       |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable     | Not applicable   | Precaution              | Precaution | Not applicable |

#### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

## 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide  $(CO_2)$ , carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):



| f compilation: 17/03/2023 Revised: 18/08/2023 Version: 2 (Replaced 1  |  |                                 |                 |                   |                  |
|---|--|---------------------------------|-----------------|-------------------|------------------|
| CTION 11: TOXICOLOGICAL   | INFORMATION (contin  | ued)                            |                 |                   |                  |
| for inhalation. For mor<br>- Corrosivity/Irritabilit  | ed on available data, the clas<br>e information see section 3.<br>cy: Based on available data, t<br>ct. For more information see<br>and the eyes (acute effect):   | the classification criteria are |                 |                   |                  |
| hazardous for skin cont<br>- Contact with the eye<br>hazardous for this effec                                 | <ul> <li>Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as<br/>hazardous for skin contact. For more information see section 3.</li> <li>Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as<br/>hazardous for this effect. For more information see section 3.</li> </ul>  |                                 |                 |                   |                  |
| D- CMR effects (carcinoge   | enicity, mutagenicity and to   | cicity to reproduction):        |                 |                   |                  |
| for the effects mention<br>- Mutagenicity: Based<br>for this effect. For more                                 | <ul> <li>Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.</li> <li>Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as</li> </ul> |                                 |                 |                   |                  |
| E- Sensitizing effects:   |  |                                 |                 |                   |                  |
| - Skin: Based on availa sensitising effects. For  | <ul> <li>Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.</li> <li>Specific target organ toxicity (STOT) - single exposure:</li> </ul>   |                                 |                 |                   |                  |
|   | Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.   |                                 |                 | this effect. For  |                  |
| <ul> <li>Specific target organ</li> <li>contain substances classing</li> <li>Skin: Based on availa</li> </ul> | <ul> <li>G- Specific target organ toxicity (STOT)-repeated exposure:</li> <li>Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information substances classified as hazardous for this effect. For more information substances classified as hazardous for this effect. For more information substances classified as hazardous for this effect. For more information see section 3.</li> </ul>  |                                 |                 |                   |                  |
| H- Aspiration hazard:   |  |                                 |                 |                   |                  |
|   | Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.   |                                 |                 |                   | this effect. For |
| Other information:  |  |                                 |                 |                   |                  |
| Non-applicable  |  |                                 |                 |                   |                  |
| Specific toxicology informa   | ation on the substances:   |                                 |                 |                   |                  |
|   | Identification   |                                 | Acu             | te toxicity       | Genus            |
| 2-butoxyethanol   |  |                                 | LD50 oral       | 1200 mg/kg (ATEi) | Rat              |
| CAS: 111-76-2   |  |                                 | LD50 dermal     | 3000 mg/kg        | Rabbit           |
|   |  |                                 | LC50 inhalation | 3 mg/L (ATEi)     |                  |
| ethanol   |  |                                 | LD50 oral       | 6200 mg/kg        | Rat              |
| CAS: 64-17-5  |  |                                 | LD50 dermal     | 20000 mg/kg       | Rabbit           |
|   |  |                                 | LC50 inhalation | 124.7 mg/L (4 h)  | Rat              |

CAS: 55965-84-9

# CAS: 1310-73-2

The experimental information related to the eco-toxicological properties of the product itself is not available

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

- CONTINUED ON NEXT PAGE -

LD50 oral

LD50 oral

LD50 dermal

LC50 inhalation

LD50 dermal

LC50 inhalation

64 mg/kg

87.12 mg/kg

0.33 mg/L (4 h)

>2000 mg/kg

Non-applicable

Non-applicable

Rat

Rabbit

Rat



## Date of compilation: 17/03/2023

Revised: 18/08/2023 Version: 2 (Replaced 1)

# SECTION 12: ECOLOGICAL INFORMATION (continued

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

## 12.1 Toxicity:

## Acute toxicity:

| Identification  |      | Concentration        | Species                | Genus      |
|---|------|----------------------|------------------------|------------|
| ethanol   | LC50 | 11000 mg/L (96 h)    | Alburnus alburnus      | Fish       |
| CAS: 64-17-5  | EC50 | 9268 mg/L (48 h)     | Daphnia magna          | Crustacean |
|   | EC50 | 1450 mg/L (192 h)    | Microcystis aeruginosa | Algae      |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-<br>2H-isothiazol-3-one (3:1) | LC50 | >0.1 - 1 mg/L (96 h) |                        | Fish       |
| CAS: 55965-84-9   | EC50 | >0.1 - 1 mg/L (48 h) |                        | Crustacean |
|   | EC50 | >0.1 - 1 mg/L (72 h) |                        | Algae      |
| sodium hydroxide  | LC50 | 189 mg/L (48 h)      | Leuciscus idus         | Fish       |
| CAS: 1310-73-2  | EC50 | 33 mg/L              | Crangon crangon        | Crustacean |
|   | EC50 | Non-applicable       |                        |            |

## Chronic toxicity:

| Identification  | Concentration |          | Species            | Genus      |
|-----------------|---------------|----------|--------------------|------------|
| 2-butoxyethanol | NOEC          | 100 mg/L | Danio rerio        | Fish       |
| CAS: 111-76-2   | NOEC          | 100 mg/L | Daphnia magna      | Crustacean |
| ethanol         | NOEC          | 250 mg/L | Danio rerio        | Fish       |
| CAS: 64-17-5    | NOEC          | 2 mg/L   | Ceriodaphnia dubia | Crustacean |

# 12.2 Persistence and degradability:

Substance-specific information:

| Identification  | Degradability |                | Biodegradab     | ility    |
|-----------------|---------------|----------------|-----------------|----------|
| 2-butoxyethanol | BOD5          | 0.71 g O2/g    | Concentration   | 100 mg/L |
| CAS: 111-76-2   | COD           | 2.2 g O2/g     | Period          | 14 days  |
|                 | BOD5/COD      | 0.32           | % Biodegradable | 96 %     |
| ethanol         | BOD5          | Non-applicable | Concentration   | 100 mg/L |
| CAS: 64-17-5    | COD           | Non-applicable | Period          | 14 days  |
|                 | BOD5/COD      | Non-applicable | % Biodegradable | 89 %     |

## 12.3 Bioaccumulative potential:

## Substance-specific information:

| Identifi        | cation | Bioaccur  | nulation potential |
|-----------------|--------|-----------|--------------------|
| 2-butoxyethanol |        | BCF       | 3                  |
| : 111-76-2      |        | Pow Log   | 0.83               |
|                 |        | Potential | Low                |
| ethanol         |        | BCF       | 3                  |
| NS: 64-17-5     |        | Pow Log   | -0.31              |
|                 |        | Potential | Low                |

## 12.4 Mobility in soil:

| Identification  | Absorp          | Absorption/desorption |            | ility              |
|-----------------|-----------------|-----------------------|------------|--------------------|
| 2-butoxyethanol | Кос             | 8                     | Henry      | 1.621E-1 Pa∙m³/mol |
| CAS: 111-76-2   | Conclusion      | Very High             | Dry soil   | No                 |
|                 | Surface tension | 2.729E-2 N/m (25 ºC)  | Moist soil | Yes                |
| ethanol         | Кос             | 1                     | Henry      | 4.61E-1 Pa·m³/mol  |
| CAS: 64-17-5    | Conclusion      | Very High             | Dry soil   | Yes                |
|                 | Surface tension | 2.339E-2 N/m (25 ºC)  | Moist soil | Yes                |

## 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Other adverse effects:

Not described



Date of compilation: 17/03/2023 Revised: 18/08/2023

3 Version: 2 (Replaced 1)

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

| Code      | Description                                | Waste class |
|-----------|--|-------------|
| 20 01 29* | detergents containing hazardous substances | Dangerous   |

#### Type of waste:

**HP6 Acute Toxicity** 

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

#### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

#### SECTION 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable

- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

#### The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Labelling for contents:

Preservation agents: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

## Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

## Non-applicable

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

## Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.

## **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:



| Date of compilation: 17/03/2023   | Revised: 18/08/2023  | Version: 2 (Replaced 1)   |
|---|--|---|
| SECTION 16: OTHER INFORM  | ATION (continued)  |   |
| Texts of the legislative ph   | rases mentioned in section   | ice with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.<br>n <b>3:</b><br>elf; they are present merely for informative purposes and refer to the individual |
| components which appear   | r in section 3   |   |
| GB CLP Regulation:  |  |   |
| Acute Tox. 3: H301 - Toxic<br>Acute Tox. 4: H302+H312-<br>Aquatic Acute 1: H400 - V<br>Aquatic Chronic 1: H410 -<br>Eye Dam. 1: H318 - Causes<br>Eye Irrit. 2: H319 - Causes<br>Flam. Liq. 2: H225 - Highly<br>Met. Corr. 1: H290 - May B<br>Skin Corr. 1A: H314 - Caus | +H332 - Harmful if swallowe<br>ery toxic to aquatic life.<br>Very toxic to aquatic life wi<br>s serious eye damage.<br>serious eye irritation.<br>y flammable liquid and vapo<br>be corrosive to metals.<br>ses severe skin burns and ey | ed, in contact with skin or if inhaled.<br>ith long lasting effects.<br>our.<br>re damage.  |
| Skin Irrit. 2: H315 - Causes  |  |   |
|   | v cause an allergic skin react   | tion.   |
| Classification procedure:<br>Non-applicable   |  |   |
| Advice related to training  |  |   |
| Training is recommended   |  | al risks for staff using this product and to facilitate their comprehension and label on the product.   |
| Principal bibliographical s   | ources:  |   |
| http://echa.europa.eu   |  |   |
| http://eur-lex.europa.eu  |  |   |
| 1 3   |  | nal carriage of dangerous goods by road   |
| IATA: International Air Tran  | 0 0  |   |
| ICAO: International Civil A   |  |   |
| COD: Chemical Oxygen De   |  |   |
| BOD5: 5day biochemical o<br>BCF: Bioconcentration fact  | 10   |   |
| LD50: Lethal Dose 50  | .01  |   |
| LC50: Lethal Concentration  | n 50   |   |
| EC50: Effective concentrat  | ion 50   |   |
| LogPOW: Octanolwater pa   |  |   |
| Koc: Partition coefficient o  | •  |   |
| UFI: unique formula identi<br>IARC: International Agency  |  |   |
|   |  |   |

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.