

Safety data sheet According to UK REACH

#### Conserver



ate of o	compilation: 22/11/2022 Revised: 24/07/2023 Version: 2 (Replaced 1)
SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:     Conserver       Other means of identification:     Image: Conserver in the second
1.2	Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Water repeller; product for the cleaning and care of means of transport Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:         GARDX INTERNATIONAL LTD         LAKE HOUSE, 2 PORT WAY, PORT SOLENT,         PO6 4TY PORTSMOUTH - UNITED KINGDOM         Phone: +44 (0)1243 376426         product@gardx.co.uk         www.gardx.co.uk         AUTOMOTOSOL S.R.O         RYBNÁ 716/24         PRAHA 1         110 00         CZECH REPUBLIC
1.4	<ul> <li>Emergency telephone number: CNN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ +</li> <li>442038850382. NPIS: 0844 892 0111 (healthcare professionals only) or NHS 111</li> </ul>
SECT	ION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture: GB CLP Regulation: Classification of this product has been carried out in accordance with GB CLP Regulation. Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317
2.2	Label elements: GB CLP Regulation:
	Warning



# Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

## **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves/eye protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

# Substances that contribute to the classification

2-methylisothiazol-3(2H)-one (CAS: 2682-20-4)





Date of compilation: 22/11/2022

Version: 2 (Replaced 1)

## SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Aqueous mixture composed of white oils and tensoactives

Revised: 24/07/2023

#### Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	8042-47-5	White mineral oil, <=20.5mm2/s (40ºC) Asp. Tox. 1: H304 - Danger	1 - <3 %
CAS:	61789-77-3	Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Corr. 1B: H314 - Danger	1 - <3 %
CAS:	111-76-2	<b>2-butoxyethanol</b> Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <3 %
CAS:	97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <b>&lt;3</b> %
CAS:	67-63-0	propan-2-ol Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	<1 %
CAS:	2682-20-4	2-methylisothiazol-3(2H)-one Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
2-butoxyethanol	LD50 oral	1200 mg/kg (ATEi)	Rat
CAS: 111-76-2	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	

#### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

# By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

## By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.





Date of compilation: 22/11/2022

Version: 2 (Replaced 1)

# SECTION 4: FIRST AID MEASURES (continued)

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

## 4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 24/07/2023

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

## 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

#### Methods and material for containment and cleaning up:

It is recommended:

6.3

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

# 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).





Date of compilation: 22/11/2022

Version: 2 (Replaced 1)

## SECTION 7: HANDLING AND STORAGE (continued)

B.- Technical recommendations for the prevention of fires and explosions

Revised: 24/07/2023

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- D.- Technical recommendations to prevent environmental risks
- It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage Minimum Temp.: 4 °C Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupational exposure limits		
2-butoxyethanol	WEL (8h)	25 ppm	123 mg/m <sup>3</sup>
CAS: 111-76-2	WEL (15 min)	50 ppm	246 mg/m <sup>3</sup>
propan-2-ol	WEL (8h)	400 ppm	999 mg/m³
CAS: 67-63-0	WEL (15 min)	500 ppm	1250 mg/m <sup>3</sup>

## **Biological limit values:**

BIOLOGICAL MONITORING GUIDANCE VALUES (BMGVS) - EH40/2005

Identification	NULL	NULL	NULL
2-butoxyethanol CAS: 111-76-2	280 mg/g (NULL)	Butoxyacetic acid in urine	Post shift

## DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
White mineral oil, <=20.5mm2/s (40ºC)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 8042-47-5	Dermal	Non-applicable	Non-applicable	217.05 mg/kg	Non-applicable
EC: 232-455-8	Inhalation	Non-applicable	Non-applicable	164.56 mg/m <sup>3</sup>	Non-applicable
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m³	246 mg/m <sup>3</sup>	98 mg/m³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 97862-59-4	Dermal	Non-applicable	Non-applicable	12.5 mg/kg	Non-applicable
EC: 931-296-8	Inhalation	Non-applicable	Non-applicable	44 mg/m <sup>3</sup>	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m <sup>3</sup>	Non-applicable	0.021 mg/m <sup>3</sup>





Date of compilation: 22/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
White mineral oil, <=20.5mm2/s (40ºC)	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 8042-47-5	Dermal	Non-applicable	Non-applicable	93.02 mg/kg	Non-applicable
EC: 232-455-8	Inhalation	Non-applicable	Non-applicable	34.78 mg/m³	Non-applicable
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6.3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m <sup>3</sup>	147 mg/m³	59 mg/m³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
CAS: 97862-59-4	Dermal	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
EC: 931-296-8	Inhalation	Non-applicable	Non-applicable	13.04 mg/m³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable
2-methylisothiazol-3(2H)-one	Oral	0.053 mg/kg	Non-applicable	0.027 mg/kg	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m <sup>3</sup>	Non-applicable	0.021 mg/m <sup>3</sup>

#### PNEC:

Identification				
2-butoxyethanol	STP	463 mg/L	Fresh water	8.8 mg/L
CAS: 111-76-2	Soil	2.33 mg/kg	Marine water	0.88 mg/L
EC: 203-905-0	Intermittent	26.4 mg/L	Sediment (Fresh water)	34.6 mg/kg
	Oral	0.02 g/kg	Sediment (Marine water)	3.46 mg/kg
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	STP	3000 mg/L	Fresh water	0.013 mg/L
CAS: 97862-59-4	Soil	0.85 mg/kg	Marine water	0.001 mg/L
EC: 931-296-8	Intermittent	Non-applicable	Sediment (Fresh water)	11.1 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	1.11 mg/kg
propan-2-ol	STP	2251 mg/L	Fresh water	140.9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140.9 mg/L
EC: 200-661-7	Intermittent	140.9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0.16 g/kg	Sediment (Marine water)	552 mg/kg
2-methylisothiazol-3(2H)-one	STP	0.23 mg/L	Fresh water	0.00339 mg/L
CAS: 2682-20-4	Soil	0.047 mg/kg	Marine water	0.00339 mg/L
EC: 220-239-6	Intermittent	0.00339 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.11 mm, Conditions of use: Normal)	Replace the gloves at any sign of deterioration.



Version: 2 (Replaced 1)



Date of compilation: 22/11/2022

Revised: 24/07/2023

NN 8. EVENCLIBE CONTROLS /DEDSONAL DEOTECTION (continued

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

## D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Remarks	
	Work clothing	Replace before any evidence of deterioration. For periods of prolonged exposure to th product for professional/industrial users CE III is recommended, in accordance with th regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994	
	Anti-slip work shoes	Replace before any evidence of deterioration. For periods of prolonged exposure to th product for professional/industrial users CE III is recommended, in accordance with th regulations in EN ISO 20345:2012 y EN 13832-1:2007	

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>+</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

## Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical prop	ierties:				
Appearance:					
Physical state at 20 ºC:	Liquid				
Appearance:	Opaque				
Colour:	Pink				
Odour:	Solvent				
Odour threshold:	Non-applicable *				
Volatility:					
Boiling point at atmospheric pressure:	103 ºC				
Vapour pressure at 20 ºC:	2344 Pa				
Vapour pressure at 50 °C:	12347.87 Pa (12.35 kPa)				
Evaporation rate at 20 ºC:	Non-applicable *				
Product description:					
Density at 20 ºC:	Non-applicable *				
Relative density at 20 °C:	0.986 - 0.996				
Dynamic viscosity at 20 ºC:	Non-applicable *				
Kinematic viscosity at 20 ºC:	Non-applicable *				
Kinematic viscosity at 40 ºC:	Non-applicable *				
*Not relevant due to the nature of the product, not providin	ig information property of its hazards.				



Safety data sheet According to UK REACH

Conserver



Page 7/12

Date of	compilation: 22/11/2022 Revised: 24/07/2023	Version: 2 (Replaced 1)
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIES (c	continued)
	Concentration:	Non-applicable *
	pH:	4 - 6 (at 100 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Emulsifiable
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 ºC)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	238 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	prmation property of its hazards.

сгст								
SECT	ION 10: STABILITY AND REAC							
10.1	L Reactivity:							
	No hazardous reactions are exp	ected because the prod	uct is stable under recommen	ded storage conditions. See	section 7.			
10.2	Chemical stability:							
	Chemically stable under the indicated conditions of storage, handling and use.							
10.3	Possibility of hazardous reactions:							
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.							
10.4								
	Applicable for handling and sto	rage at room temperatu	re:					
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable	Precaution	Precaution	Not applicable			
10.5	Incompatible materials:							
	Acids	Water	Oxidising materials	Combustible materials	Others			
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases			
10.6	Hazardous decomposition proc	lucts:						
	See subsection 10.3, 10.4 and 1	•						
	mixtures of chemical substance	s can be released: carbo	n dioxide (CO <sub>2</sub> ), carbon mono	kide and other organic com	pounds.			
		- CC	ONTINUED ON NEXT PAGE -					
Date of c	compilation: 22/11/2022 Re	vised: 24/07/2023	Version: 2 (Replaced 1)		Page			





Date of compilation: 22/11/2022 Revised: 24/07/2023

Version: 2 (Replaced 1)

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting. B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
2-butoxyethanol	LD50 oral	1200 mg/kg (ATEi)	Rat
CAS: 111-76-2	LD50 dermal	>2000 mg/kg	Rabbit
	LC50 inhalation	3 mg/L	





Date of compilation: 22/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)	
-------------------------	--

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification		Acute toxicity	Genu
White mineral oil, <=20.5mm2/s (40ºC)	LD50 oral	>5000 mg/kg	Rat
CAS: 8042-47-5	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	LD50 oral	960 mg/kg	Rat
CAS: 61789-77-3	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	LD50 oral	2335 mg/kg	Rat
CAS: 97862-59-4	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
	LC50 inhalation	72.6 mg/L (4 h)	Rat
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat
	LC50 inhalation	Non-applicable	

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

## Acute toxicity:

Identification		Concentration	Species	Genus
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 61789-77-3	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts	LC50	1.9 mg/L (96 h)	N/A	Fish
CAS: 97862-59-4	EC50	6.5 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	4.66 mg/L (72 h)	Desmodesmus subspicatus	Algae
propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
2-methylisothiazol-3(2H)-one	LC50	4.77 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	EC50	0.934 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		

## Chronic toxicity:

12.2

Identification		Concentration	Species	Genus
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	NOEC	Non-applicable		
CAS: 61789-77-3	NOEC	0.15 mg/L	Daphnia magna	Crustacean
2-butoxyethanol	NOEC	100 mg/L	Danio rerio	Fish
CAS: 111-76-2	NOEC	100 mg/L	Daphnia magna	Crustacean
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts	NOEC	0.135 mg/L	Oncorhynchus mykiss	Fish
CAS: 97862-59-4	NOEC	0.32 mg/L	Daphnia magna	Crustacean
2-methylisothiazol-3(2H)-one	NOEC	4.93 mg/L	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	NOEC	0.044 mg/L	Daphnia magna	Crustacean

Substance-specific information:





Date of compilation: 22/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)

## SECTION 12: ECOLOGICAL INFORMATION (continue

Identification	Degradability		Biodegradability	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 61789-77-3	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	82 %
2-butoxyethanol	BOD5	0.71 g O2/g	Concentration	100 mg/L
CAS: 111-76-2	COD	2.2 g O2/g	Period	14 days
	BOD5/COD	0.32	% Biodegradable	96 %
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 97862-59-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	87 %
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %
2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 2682-20-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	55.8 %

## 12.3 Bioaccumulative potential:

## Substance-specific information:

Identification	Bioaccumulation potential		
2-butoxyethanol		BCF	3
CAS: 111-76-2		Pow Log	0.83
		Potential	Low
propan-2-ol		BCF	3
CAS: 67-63-0		Pow Log	0.05
		Potential	Low
2-methylisothiazol-3(2H)-one		BCF	
CAS: 2682-20-4		Pow Log	-0.49
		Potential	

## 12.4 Mobility in soil:

Identification	Absor	Absorption/desorption		ility
2-butoxyethanol	Кос	8	Henry	1.621E-1 Pa·m³/mol
CAS: 111-76-2	Conclusion	Very High	Dry soil	No
	Surface tension	2.729E-2 N/m (25 ºC)	Moist soil	Yes
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa∙m³/mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
	Surface tension	2.24E-2 N/m (25 ºC)	Moist soil	Yes
2-methylisothiazol-3(2H)-one	Кос	Non-applicable	Henry	0E+0 Pa∙m³/mol
CAS: 2682-20-4	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

## 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class				
20 01 29*	detergents containing hazardous substances	Non dangerous				
Type of waste:						





Date of compilation: 22/11/2022

Version: 2 (Replaced 1)

# SECTION 13: DISPOSAL CONSIDERATIONS (continued)

# Non-applicable

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

Revised: 24/07/2023

#### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable - Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc ....):

#### Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

#### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020. Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### **GB CLP Regulation:**





Date of compilation: 22/11/2022 Revised: 24/07/2023 Version: 2 (Replaced 1) SECTION 16: OTHER INFORMATION (continued) Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT SE 3: H336 - May cause drowsiness or dizziness. **Classification procedure:** Skin Sens. 1A: Calculation method Skin Irrit. 2: Calculation method Eye Irrit. 2: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.