

Date of Revision: 08-02-2023

Leather Guard



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Leather Guard

UFI H000-A0PG-V003-2N1T

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)Not known.Uses Advised AgainstNot known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification GardX International Ltd

Address of Manufacturer Lake House

2 Port Way Port Solent Portsmouth United Kingdom

Postal code PO6 4TY

Telephone: +44 (0)1243 376 426.

Fax Not known.

E-mail product@gardxgroup.com

Office hours 9.00 am - 17.30 pm

Supplier

Company Identification Automotosol S. R.O. Address of Supplier Rybna 716/24

Praha 1 110 00

Czech Republic

Postal code 110 00

Telephone: +420 222 703288
Fax Not known.
E-mail Not known.

Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 2038850382.

Contact For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call Chemtrec.

CNN 1012486.

National response centre

Address Emergency medical information: 08.00am-22.00pm (7-days) contact National Poison

Information Centre, Beaumont Hospital.

Emergency Phone No. +353 (0) 1 809 2166

SECTION 2: HAZARDS IDENTIFICATION



Date of Revision: 08-02-2023

ELIXOGEN

Leather Guard

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Skin Sens. 1A: May cause an allergic skin reaction.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Leather Guard

Hazard Pictogram(s)

(!)

Signal Word(s) Warning

Hazard Statement(s) H317: May cause an allergic skin reaction.

Precautionary Statement(s) P302+P352: IF ON SKIN: Wash with plenty of water.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

This product contains: 118-58-1 (Endocrine disrupting properties)

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard
		REACH			Pictogram(s)
		Registration No.			
2,2',2"-nitrilotriethanol	102-71-6	203-049-8	<10	Not classified	None
Alcohols, C16-18 and C18-unsatd.,	68920-66-1	500-236-9	<0.5	Skin Irrit. 2 H315	GHS07
ethoxylated				Aquatic Chronic 2 H411	GHS09
Isotridecanol, ethoxylated	69011-36-5	500-241-6	<0.5	Aquatic Chronic 3 H412	None
BENZYL SALICYLATE	118-58-1	204-262-9	<0.1	Skin Sens. 1B H317	GHS07





Leather Guard

benzyl alcohol	100-51-6	202-859-9	< 0.05	Acute Tox. 4 H302	GHS07
benzyi alconol	100-31-0	202-033-3	<0.03	Acute Tox. 4 H332	G11307
4-tert-butylcyclohexanol	98-52-2	202-676-4	< 0.05	Eye Irrit. 2 H319	GHS07
3,5,5-trimethylhexyl acetate	58430-94-7	261-245-9	< 0.05	Skin Irrit. 2 H315	GHS07
				Aquatic Chronic 2 H411	GHS09
Evernia prunastri, ext.	90028-68-5	289-861-3	< 0.05	Skin Irrit. 2 H315	GHS07
				Skin Sens. 1 H317	
				Eye Irrit. 2 H319	
ammonia%	1336-21-6	215-647-6	<0.1	Skin Corr. 1B H314	GHS05
				Aquatic Acute 1 H400	GHS09
2-methylisothiazol-3(2H)-one	2682-20-4	220-239-6	<0.05	Acute Tox. 3 H301	GHS06
				Acute Tox. 3 H311	GHS05
				Skin Corr. 1B H314	GHS07
				Skin Sens. 1A H317	GHS09
				Eye Dam. 1 H318	
				Acute Tox. 2 H330	
				Aquatic Acute 1 H400	
				Aquatic Chronic 1 H410	
[3R-(3 α,3aβ,7β,8aα)]-1-	32388-55-9	251-020-3	< 0.05	Skin Sens. 1 H317	GHS07
(2,3,4,7,8,8a-hexahydro-3,6,8,8-				Aquatic Acute 1 H400	GHS09
tetramethyl-1H-3a,7-methanoazulen-5-				Aquatic Chronic 2 H411	
yl) ethan-1-one					
Methyl 2,4-dihydroxy-3,6-	4707-47-5	225-193-0	< 0.05	Skin Sens. 1B H317	GHS07
dimethylbenzoate					
Terpineol	8000-41-7	232-268-1	< 0.005	Skin Irrit. 2 H315	GHS07
				Eye Irrit. 2 H319	
geraniol; (2E)-3,7-dimethylocta-2,6-	106-24-1	203-377-1	<0.05	Skin Irrit. 2 H315	GHS05
dien-1-ol				Skin Sens. 1 H317	GHS07
				Eye Dam. 1 H318	
3-methyl-4-(2,6,6-trimethyl-2-	127-51-5	204-846-3	<0.05	Skin Irrit. 2 H315	GHS07
cyclohexen-1-yl)-3-buten-2-one				Skin Sens. 1 H317	GHS09
				Aquatic Chronic 2 H411	
2,6-xylenol	576-26-1	209-400-1	<0.01	Acute Tox. 3 H301	GHS06
				Acute Tox. 3 H311	GHS05
				Skin Corr. 1B H314	GHS09
				Aquatic Chronic 2 H411	



Date of Revision: 08-02-2023



Leather Guard

Coumarin	91-64-5	202-086-7	< 0.005	Acute Tox. 4 H302	GHS07
				Skin Sens. 1 H317	

CAS No.	Specific Concentra	ation Limit	M-factor	ATE
100-51-6				Acute Tox. 4
				(H302): 500
				Acute Tox. 4
				(H332): 11.000
1336-21-6	STOT SE 3	C>= 5.00 <= 100.0	00	
2682-20-4	Skin Sens. 1A	C>= 0.0015 <= 10	0.00 Aquatic Acut	e Acute Tox. 3
		"	1: 10	(H301): 100
				Acute Tox. 3
				(H311): 300
				Acute Tox. 2
				(H330): 0.500
576-26-1				Acute Tox. 3
0.0 20 2				(H301): 100
				Acute Tox. 3
				(H311): 300
91-64-5				Acute Tox. 4
				(H302): 500
	100-51-6 1336-21-6 2682-20-4 576-26-1	1336-21-6 STOT SE 3 2682-20-4 Skin Sens. 1A	1336-21-6 STOT SE 3 C>= 5.00 <= 100.0 2682-20-4 Skin Sens. 1A C>= 0.0015 <= 10	1336-21-6 STOT SE 3 C>= 5.00 <= 100.00 2682-20-4 Skin Sens. 1A C>= 0.0015 <= 100.00 1: 10

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Treat symptomatically.

Skin Contact Take off immediately all contaminated clothing and wash it before reuse. If skin

irritation or rash occurs: Get medical advice/attention. Specific treatment (see

Medical Advice on this label).

Eye Contact Treat symptomatically.
Ingestion Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed.

Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed.



Date of Revision: 08-02-2023

Leather Guard

ELIXOGEN

Specific treatment (see Medical Advice on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture.

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves, and

eye/face protection.

6.2 Environmental precautions

This material and its container must be disposed of in a safe way.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to

a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective

gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Amhient

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning

purposes should be present.

8.2.2. Personal protection equipment



Date of Revision: 08-02-2023

ELIXOGEN

Leather Guard



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state Liquid.

Colour Not known.

Odour Not known.

Melting point/freezing point Not known.

Boiling point or initial boiling point and Not known.

boiling range

Flammability

Lower and upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition Temperature

Not known.

PH

Not known.

Kinematic Viscosity

Not known.

Solubility Solubility (Water) : Not known.

Solubility (Other): Not known.

Partition coefficient n-octanol/water

Density and/or relative density

(log value)

Vapour pressure

Not known. Not known. Not known. Not known.

Not known.

Particle characteristics **9.2 Other information**

Relative vapour density

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability



Date of Revision: 08-02-2023

ELIXOGEN

Leather Guard

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE -

657894.75

Acute toxicity - Skin Contact Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE – 1000000

Acute toxicity - Inhalation Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 6395.35

Skin corrosion/irritation Calculation method: Not classified.
Serious eye damage/irritation Calculation method: Not classified.

Skin sensitization data Calculation method: May cause an allergic skin reaction.

Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified. Calculation method: Not classified. Lactation STOT - single exposure Calculation method: Not classified. STOT - repeated exposure Calculation method: Not classified. Aspiration hazard Calculation method: Not classified.

11.2 Information on other hazards

Endocrine disrupting properties: List II: Substances under evaluation for endocrine disruption under an EU legislation 118-58-1 (Human health)

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Toxicity - Fish Low toxicity to fish.

Toxicity - Algae Low toxicity to algae.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential



Date of Revision: 08-02-2023

Leather Guard

ELIXOGEN

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

Listed in: List II: Substances under evaluation for endocrine disruption under an

EU legislation 118-58-1 (Environment)

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send

to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances Not listed

subject to authorisation



Date of Revision: 08-02-2023

Leather Guard

REACH: Annex XVII Restrictions on the benzyl alcohol (100-51-6), geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol (106-

ELIXOGEN

use of certain dangerous substances, mixtures, and articles

manufacture, placing on the market and 24-1), BENZYL SALICYLATE (118-58-1), 3-methyl-4-(2,6,6-trimethyl-2cyclohexen-1-yl)-3-buten-2-one (127-51-5), ammonia% (1336-21-6), 2-

methylisothiazol-3(2H)-one (2682-20-4), [3R-(3 α ,3a β ,7 β ,8a α)]-1-

(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9), Methyl 2,4-dihydroxy-3,6-dimethylbenzoate (4707-47-5), 2,6-xylenol (576-26-1), 3,5,5-trimethylhexyl acetate (58430-94-7), Alcohols, C16-18 and C18-unsatd., ethoxylated (68920-66-1), Isotridecanol, ethoxylated (69011-36-5), Terpineol (8000-41-7), Evernia prunastri, ext. (90028-68-5),

Coumarin (91-64-5), 4-tert-butylcyclohexanol (98-52-2)

Community Rolling Action Plan (CoRAP) benzyl alcohol (100-51-6), 2,2',2"-nitrilotriethanol (102-71-6), BENZYL

SALICYLATE (118-58-1), $[3R-(3\alpha,3a\beta,7\beta,8a\alpha)]-1-(2,3,4,7,8,8a-hexahydro-$ 3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl) ethan-1-one (32388-55-9)

Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the Council

on persistent organic pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the Council concerning the export and import of hazardous chemicals

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS09: GHS: Environment

Hazard classification Acute Tox. 3: Acute toxicity, Category 3

> Acute Tox. 4: Acute toxicity, Category 4 Acute Tox. 3: Acute toxicity, Category 3

Skin Corr. 1B: Skin corrosion/irritation, Category 1B



ELIXOGEN

SAFFTY DATA SHFFT

Date of Revision: 08-02-2023

Leather Guard

Skin Irrit. 2: Skin corrosion/irritation, Category 2

Skin Sens. 1: Skin sensitization, Category 1

Skin Sens. 1A: Skin sensitization, Category 1A

Skin Sens. 1B: Skin sensitization, Category 1B

Eye Dam. 1: Serious eye damage/irritation, Category ${\bf 1}$

Eye Irrit. 2: Serious eye damage/irritation, Category 2

Acute Tox. 2: Acute toxicity, Category 2

Acute Tox. 4: Acute toxicity, Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, Acute, Category ${\bf 1}$

Aquatic Chronic 1: Hazardous to the aquatic environment, Chronic, Category $\boldsymbol{1}$

Aquatic Chronic 2: Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s) H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s) P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

 $P280: We ar protective \ gloves/protective \ clothing/eye \ protection/face \ protection.$

P302+P352: IF ON SKIN: Wash with plenty of water.

P321: Specific treatment (see Medical Advice on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms ATE : Acute Toxicity Estimate

CAS: Chemical Abstracts Service

CLP: Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substances and mixtures

DNEL: Derived No Effect Level

ELIXOGEN

SAFETY DATA SHEET

Date of Revision: 08-02-2023

Leather Guard

EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS Disclaimers Regulation (EC) No. 1272/2008 (CLP)

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Furniture Clinic Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Furniture Clinic Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.