

Safety data sheet According to COMMISSION REGULATION (EU) 2020/878

Screenwash Concentrate



LEITE PROTEC

SECT	ION 1: IDENTIFICATION OF THE SU	JBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
.1	Product identifier:	Screenwash Concentrate
	Other means of identification:	
	UFI:	N45J-2N4U-U007-4RCX
.2	Relevant identified uses of the subst	ance or mixture and uses advised against:
	Relevant uses: Car windscreen washe	
	Uses advised against: All uses not spe	cified in this section or in section 7.3
.3	Details of the supplier of the safety of	
	GARDX INTERNATIONAL LTD LAKE HOUSE, 2 PORT WAY, PORT SOLE PO6 4TY PORTSMOUTH - UNITED KIN Phone: +44 (0)1243 376426 product@gardx.co.uk www.gardx.co.uk	
	AUTOMOTOSOL S.R.O RYBNÁ 716/24 PRAHA 1 110 00	
	CZECH REPUBLIC	
	+420 222 703288	
L .4		N: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ +
		038850382. NPIS: 0844 892 0111 (healthcare professionals only)
SECT	TION 2: HAZARDS IDENTIFICATION	
	ION 2: HAZARDS IDENTIFICATION	
	TON 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008:	
	TION 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
2.1	TON 2: HAZARDS IDENTIFICATION Classification of the substance or min CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements:	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
2.1	TION 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008:	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
2.1	TON 2: HAZARDS IDENTIFICATION Classification of the substance or min CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements:	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
2.1	TION 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008:	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
SECT 2.1 2.2	TION 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008:	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319
2.1	TON 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008: Warning	Ature: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319 egory 1A, H317 aquatic life with long lasting effects. e irritation.
.1	 TON 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008: Warning Warning Hazard statements: Aquatic Chronic 3: H412 - Harmful to Eye Irrit. 2: H319 - Causes serious eye Skin Sens. 1A: H317 - May cause an a Precautionary statements: P101: If medical advice is needed, ha P102: Keep out of reach of children. P264: Wash thoroughly after handlin P271: Use only outdoors or in a well- P273: Avoid release to the environmed P280: Wear protective gloves. P305+P351+P338: IF IN EYES: Rinse c 	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319 egory 1A, H317 aquatic life with long lasting effects. a irritation. illergic skin reaction. ve product container or label at hand. g. ventilated area. ent. autiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
2.1	TON 2: HAZARDS IDENTIFICATION Classification of the substance or mix CLP Regulation (EC) No 1272/2008: Classification of this product has bee Aquatic Chronic 3: Hazardous to the a Eye Irrit. 2: Eye irritation, Category 2, Skin Sens. 1A: Sensitisation, skin, Cate Label elements: CLP Regulation (EC) No 1272/2008: Warning Image: Ima	xture: n carried out in accordance with CLP Regulation (EC) No 1272/2008. aquatic environment, long-term hazard, Category 3, H412 H319 egory 1A, H317 aquatic life with long lasting effects. a irritation. illergic skin reaction. ve product container or label at hand. g. ventilated area. ent. autiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue





Date of compilation: 25/07/2023 Version: 1

Contains 1,2-benzisothiazol-3(2H)-one, Linalool.

Substances that contribute to the classification

2-methylisothiazol-3(2H)-one (CAS: 2682-20-4)

Labelling for contents:

Component	Concentration interval
Anionic surfactants	5 <= % (w/w) < 15
perfumes	

Allergenic fragrances: 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (alpha-ISOMETHYL IONONE), benzyl alcohol (BENZYL ALCOHOL), Citronellol (CITRONELLOL), Linalool (LINALOOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE).

2.3 Other hazards:

Product does not meet PBT/vPvB criteria Endocrine-disrupting properties: The product does not meet the criteria.

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of alcohols and colourants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration		
CAS:	68891-38-3	Alcohols, C12-14(even nu	Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts ⁽¹⁾ Self-classified			
EC: Index: REACH:	500-234-8 Non-applicable 01-2119488639-16-XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	3 - <10 %		
CAS:	64-17-5	ethanol ⁽¹⁾	Self-classified			
EC: Index: REACH:	200-578-6 603-002-00-5 01-2119457610-43-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	1 - <3 %		
CAS:	137-16-6	Sodium N-lauroylsarcosi	nate ⁽¹⁾ Self-classified			
EC: Index: REACH:	205-281-5 Non-applicable 01-2119527780-39-XXXX			1 - <3 %		
CAS:	2372-82-9	N-(3-aminopropyl)-N-doo	decylpropane-1,3-diamine ⁽¹⁾ Self-classified			
EC: Index: REACH:	219-145-8 Non-applicable 01-2119980592-29-XXXX	Regulation 1272/2008	Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Corr. 1B: H314; STOT RE 2: H373 - Danger			
CAS:	2682-20-4	2-methylisothiazol-3(2H)-one ⁽¹⁾ ATP ATP13				
EC: Index: REACH:	220-239-6 613-326-00-9 01-2120764690-50-XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %		
CAS:	2634-33-5	1,2-benzisothiazol-3(2H)-	one ⁽¹⁾ ATP CLP00			
EC: Index: REACH:	220-120-9 613-088-00-6 01-2120761540-60-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<1 %		
CAS:	67-63-0	propan-2-ol ⁽²⁾	ATP CLP00			
EC: Index: REACH:	200-661-7 603-117-00-0 01-2119457558-25-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	<1 %		
CAS:	78-70-6	Linalool ⁽¹⁾	Self-classified			
EC: Index: REACH:	201-134-4 603-235-00-2 01-2119474016-42-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %		



Safety data sheet According to COMMISSION REGULATION (EU) 2020/878

Screenwash Concentrate

ELIXOGEN

Date of compilation: 25/07/2023 Version: 1

Identification	Chemical name/Classification	Concen
CAS: 1310-73-2	sodium hydroxide ⁽²⁾ Self-classified	
EC: 215-185-5 Index: 011-002-00-6 REACH: 01-2119457892-27-XXXX	Regulation 1272/2008 Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	<1
	environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 to meet any of the criteria set out in Regulation (EU) No. 2020/878	
(2) Voluntarily-listed substance failing		
⁽²⁾ Voluntarily-listed substance failing To obtain more informatio	to meet any of the criteria set out in Regulation (EU) No. 2020/878	
⁽²⁾ Voluntarily-listed substance failing To obtain more informatio	n on the hazards of the substances consult sections 11, 12 and 16.	

Identification	Specific concentration limit
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts CAS: 68891-38-3 EC: 500-234-8	% (w/w) >=10: Eye Dam. 1 - H318 5<= % (w/w) <10: Eye Irrit. 2 - H319
ethanol CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319
Sodium N-lauroylsarcosinate CAS: 137-16-6 EC: 205-281-5	% (w/w) >=30: Skin Irrit. 2 - H315 % (w/w) >=30: Eye Dam. 1 - H318 1<= % (w/w) <30: Eye Irrit. 2 - H319
2-methylisothiazol-3(2H)-one CAS: 2682-20-4 EC: 220-239-6	% (w/w) >=0.0015: Skin Sens. 1A - H317
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0.05: Skin Sens. 1 - H317
sodium hydroxide CAS: 1310-73-2 EC: 215-185-5	% (w/w) >=0.1: Met. Corr. 1 - H290 % (w/w) >=5: Skin Corr. 1A - H314 2<= % (w/w) <5: Skin Corr. 1B - H314 0.5<= % (w/w) <2: Skin Irrit. 2 - H315 % (w/w) >=2: Eye Dam. 1 - H318 0.5<= % (w/w) <2: Eye Irrit. 2 - H319

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
2-methylisothiazol-3(2H)-one	LD50 oral	Non-applicable	
CAS: 2682-20-4	LD50 dermal	Non-applicable	
EC: 220-239-6	LC50 inhalation	0.5 mg/L (ATEi)	
Sodium N-lauroylsarcosinate	LD50 oral	Non-applicable	
CAS: 137-16-6	LD50 dermal	Non-applicable	
EC: 205-281-5	LC50 inhalation	0.5 mg/L (ATEi)	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist. **By skin contact:**

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet **By eye contact:**





Date of compilation: 25/07/2023 Version: 1

SECTION 4: FIRST AID MEASURES (continued)

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.





Date of compilation: 25/07/2023 Version: 1

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 4 ºC

Maximum Temp.: 40 ºC

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupational exposure limits			
sodium hydroxide	WEL (8h)			
CAS: 1310-73-2 EC: 215-185-5	WEL (15 min)		2 mg/m ³	
ethanol	WEL (8h)	1000 ppm	1920 mg/m ³	
CAS: 64-17-5 EC: 200-578-6	WEL (15 min)			
propan-2-ol	WEL (8h)	400 ppm	999 mg/m ³	
CAS: 67-63-0 EC: 200-661-7	WEL (15 min)	500 ppm	1250 mg/m ³	

DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m³	Non-applicable
ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	950 mg/m³	Non-applicable
Sodium N-lauroylsarcosinate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 137-16-6	Dermal	Non-applicable	Non-applicable	20 mg/kg	Non-applicable
EC: 205-281-5	Inhalation	Non-applicable	Non-applicable	70.53 mg/m ³	Non-applicable
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2372-82-9	Dermal	Non-applicable	Non-applicable	8.96 mg/kg	Non-applicable
EC: 219-145-8	Inhalation	Non-applicable	Non-applicable	0.789 mg/m ³	Non-applicable





Date of compilation: 25/07/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0.966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6.81 mg/m ³	Non-applicable
propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	3.5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	24.58 mg/m ³	Non-applicable
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m ³

DNEL (General population):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable	
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable	
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m³	Non-applicable	
ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable	
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable	
EC: 200-578-6	Inhalation	Non-applicable	Non-applicable	114 mg/m³	Non-applicable	
Sodium N-lauroylsarcosinate	Oral	Non-applicable	Non-applicable	10 mg/kg	Non-applicable	
CAS: 137-16-6	Dermal	Non-applicable	Non-applicable	10 mg/kg	Non-applicable	
EC: 205-281-5	Inhalation	Non-applicable	Non-applicable	17.39 mg/m ³	Non-applicable	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Oral	Non-applicable	Non-applicable	0.04 mg/kg	Non-applicable	
CAS: 2372-82-9	Dermal	Non-applicable	Non-applicable	3.2 mg/kg	Non-applicable	
EC: 219-145-8	Inhalation	Non-applicable	Non-applicable	0.118 mg/m ³	Non-applicable	
2-methylisothiazol-3(2H)-one	Oral	0.053 mg/kg	Non-applicable	0.027 mg/kg	Non-applicable	
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³	
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0.345 mg/kg	Non-applicable	
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1.2 mg/m ³	Non-applicable	
propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable	
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable	
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m³	Non-applicable	
Linalool	Oral	Non-applicable	Non-applicable	2.49 mg/kg	Non-applicable	
CAS: 78-70-6	Dermal	Non-applicable	Non-applicable	1.25 mg/kg	Non-applicable	
EC: 201-134-4	Inhalation	Non-applicable	Non-applicable	4.33 mg/m ³	Non-applicable	
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m³	





Date of compilation: 25/07/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	STP	10000 mg/L	Fresh water	0.24 mg/L
CAS: 68891-38-3	Soil	7.5 mg/kg	Marine water	0.024 mg/L
EC: 500-234-8	Intermittent	0.071 mg/L	Sediment (Fresh water)	0.917 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.092 mg/kg
ethanol	STP	580 mg/L	Fresh water	0.96 mg/L
CAS: 64-17-5	Soil	0.63 mg/kg	Marine water	0.79 mg/L
EC: 200-578-6	Intermittent	2.75 mg/L	Sediment (Fresh water)	3.6 mg/kg
	Oral	0.38 g/kg	Sediment (Marine water)	2.9 mg/kg
Sodium N-lauroylsarcosinate	STP	3 mg/L	Fresh water	0.009 mg/L
CAS: 137-16-6	Soil	0.008 mg/kg	Marine water	0.001 mg/L
EC: 205-281-5	Intermittent	0.089 mg/L	Sediment (Fresh water)	0.064 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.006 mg/kg
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	STP	0.18 mg/L	Fresh water	0.001 mg/L
CAS: 2372-82-9	Soil	45.34 mg/kg	Marine water	0 mg/L
EC: 219-145-8	Intermittent	0 mg/L	Sediment (Fresh water)	3.2 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.13 mg/kg
2-methylisothiazol-3(2H)-one	STP	0.23 mg/L	Fresh water	0.00339 mg/L
CAS: 2682-20-4	Soil	0.047 mg/kg	Marine water	0.00339 mg/L
EC: 220-239-6	Intermittent	0.00339 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable
1,2-benzisothiazol-3(2H)-one	STP	1.03 mg/L	Fresh water	0.00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0.000403 mg/L
EC: 220-120-9	Intermittent	0.0011 mg/L	Sediment (Fresh water)	0.0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0.00499 mg/kg
propan-2-ol	STP	2251 mg/L	Fresh water	140.9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140.9 mg/L
EC: 200-661-7	Intermittent	140.9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	0.16 g/kg	Sediment (Marine water)	552 mg/kg
Linalool	STP	10 mg/L	Fresh water	0.2 mg/L
CAS: 78-70-6	Soil	0.327 mg/kg	Marine water	0.02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2.22 mg/kg
	Oral	0.0078 g/kg	Sediment (Marine water)	0.222 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

Normal)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours (Filter type: A2)		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
- Specific protection	for the hands			
Pictogram	PPE	Labelling	CEN Standard	Remarks
	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.062 mm, Conditions of use:	CE	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

- CONTINUED ON NEXT PAGE -

CAT III

Mandatory hand

protection





Date of compilation: 25/07/2023 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	+ () ()	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

.1	Information on basic physical and chemical prop	erties:	
	Appearance:		
	Physical state at 20 ºC:	Liquid	
	Appearance:	Transparent	
	Colour:	Red	
	Odour:	Fruity	
	Odour threshold:	Non-applicable *	
	Volatility:		
	Boiling point at atmospheric pressure:	100 ºC	
	Vapour pressure at 20 ºC:	2399 Pa	
	Vapour pressure at 50 °C:	12588.29 Pa (12.59 kPa)	
	Evaporation rate at 20 ºC:	Non-applicable *	
	Product description:		
	Density at 20 ºC:	Non-applicable *	
	Relative density at 20 ºC:	1.002	
	Dynamic viscosity at 20 ºC:	Non-applicable *	
	Kinematic viscosity at 20 ºC:	Non-applicable *	
	Kinematic viscosity at 40 ºC:	Non-applicable *	
	*Not relevant due to the nature of the product, not providing	g information property of its hazards.	





- ELITE PROTECTION BY GARDX

Date of compilation: 25/07/2023 Version: 1

SECT	TON 9: PHYSICAL AND CHEMICAL PROPERTIES (col	ntinued)
	Concentration:	Non-applicable *
	pH:	9.4 (at 100 %)
	Vapour density at 20 ºC:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	64 ºC
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	235 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	ation property of its hazards.

SECTI	SECTION 10: STABILITY AND REACTIVITY										
10.1	Reactivity:										
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.										
10.2	Chemical stability:										
	Chemically stable under the indicated conditions of storage, handling and use.										
10.3	Possibility of hazardous reactions:										
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.										
10.4	Conditions to avoid:										
	Applicable for handling and s	torage at room temperature	::								
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity						
	Not applicable	Not applicable	Precaution	Precaution	Not applicable						
10.5	Incompatible materials:										
	Acids	Water	Oxidising materials	Combustible materials	Others						
	Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases						
10.6	Hazardous decomposition p	oducts:									





Date of compilation: 25/07/2023 Version: 1

SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2) , carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - nazaruous for this effect. For more mormatic
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:







- ELITE PROTECTION BY GARDX

Date of compilation: 25/07/2023 Version: 1

Identification		Acute toxicity	Ger
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Ra
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Ra
EC: 220-239-6	LC50 inhalation	0.5 mg/L (ATEi)	
ethanol	LD50 oral	6200 mg/kg	Ra
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rab
EC: 200-578-6	LC50 inhalation	124.7 mg/L (4 h)	Ra
Sodium N-lauroylsarcosinate	LD50 oral	>5000 mg/kg	Ra
CAS: 137-16-6	LD50 dermal	Non-applicable	
EC: 205-281-5	LC50 inhalation	0.5 mg/L (ATEi)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD50 oral	261 mg/kg	Ra
CAS: 2372-82-9	LD50 dermal	Non-applicable	
EC: 219-145-8	LC50 inhalation	Non-applicable	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Ra
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
propan-2-ol	LD50 oral	5280 mg/kg	Ra
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Ra
EC: 200-661-7	LC50 inhalation	72.6 mg/L (4 h)	Ra
Linalool	LD50 oral	3000 mg/kg	Ra
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rab
EC: 201-134-4	LC50 inhalation	Non-applicable	
sodium hydroxide	LD50 oral	>2000 mg/kg	
CAS: 1310-73-2	LD50 dermal	Non-applicable	
EC: 215-185-5	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	LC50	7.1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7.4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 500-234-8	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 2372-82-9	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 219-145-8	EC50	>0.1 - 1 mg/L (72 h)		Algae
2-methylisothiazol-3(2H)-one	LC50	4.77 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	EC50	0.934 mg/L (48 h)	Daphnia magna	Crustacean
EC: 220-239-6	EC50	Non-applicable		



Safety data sheet According to COMMISSION REGULATION (EU) 2020/878



ELIXOGEN

- ELITE PROTECTION BY GARDX

Date of compilation: 25/07/2023 Version: 1

	Concentration	Species	Genu
LC50	>0.1 - 1 mg/L (96 h)		Fish
EC50	>0.1 - 1 mg/L (48 h)		Crustace
EC50	>0.1 - 1 mg/L (72 h)		Algae
LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
EC50	13299 mg/L (48 h)	Daphnia magna	Crustace
EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
LC50	189 mg/L (48 h)	Leuciscus idus	Fish
EC50	33 mg/L	Crangon crangon	Crustace
	EC50 EC50 EC50 EC50 EC50 LC50	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h) LC50 9640 mg/L (96 h) EC50 13299 mg/L (48 h) EC50 1000 mg/L (72 h) LC50 189 mg/L (48 h)	LC50 >0.1 - 1 mg/L (96 h) EC50 >0.1 - 1 mg/L (48 h) EC50 >0.1 - 1 mg/L (72 h) LC50 9640 mg/L (96 h) Pimephales promelas EC50 13299 mg/L (48 h) Daphnia magna EC50 1000 mg/L (72 h) Scenedesmus subspicatus LC50 189 mg/L (48 h) Leuciscus idus

Chronic toxicity:

Identification	Concentration		Species	Genus	
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	NOEC 0.2 mg/L		Oncorhynchus mykiss	Fish	
CAS: 68891-38-3 EC: 500-234-8	NOEC 0.27 mg/L		Daphnia magna	Crustacean	
ethanol	NOEC	250 mg/L	Danio rerio	Fish	
CAS: 64-17-5 EC: 200-578-6	NOEC	2 mg/L	Ceriodaphnia dubia	Crustacean	
2-methylisothiazol-3(2H)-one	NOEC	4.93 mg/L	Oncorhynchus mykiss	Fish	
CAS: 2682-20-4 EC: 220-239-6	NOEC	0.044 mg/L	Daphnia magna	Crustacean	

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degr	adability	Biodegradab	ility
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	BOD5	Non-applicable	Concentration	10.5 mg/L
CAS: 68891-38-3	COD	Non-applicable	Period	28 days
EC: 500-234-8	BOD5/COD	Non-applicable	% Biodegradable	100 %
ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	Non-applicable	% Biodegradable	89 %
2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 2682-20-4	COD	Non-applicable	Period	28 days
EC: 220-239-6	BOD5/COD	Non-applicable	% Biodegradable	55.8 %
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0.53	% Biodegradable	86 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification		Bioaccumulation potential		
ethanol	BC	CF	3	
CAS: 64-17-5	Po	ow Log	-0.31	
EC: 200-578-6	Po	otential	Low	
2-methylisothiazol-3(2H)-one	BC	CF		
CAS: 2682-20-4	Por	ow Log	-0.49	
EC: 220-239-6	Po	otential		
1,2-benzisothiazol-3(2H)-one	BC	CF	2	
CAS: 2634-33-5	Po	ow Log	1.45	
EC: 220-120-9	Po	otential	Low	







- ELITE PROTECTION BY GARDX

Date of compilation: 25/07/2023 Version: 1

Identification		Bioaccumulation potential	
propan-2-ol	BCF	3	
	Pow Log	0.05	
	Potential	Low	
Linalool	BCF		
CAS: 78-70-6	Pow Log	2.97	
EC: 201-134-4			

12.4 Mobility in soil:

Identification	Absor	Absorption/desorption		Volatility	
ethanol	Кос	1	Henry	4.61E-1 Pa·m³/mol	
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes	
EC: 200-578-6	Surface tension	2.339E-2 N/m (25 ºC)	Moist soil	Yes	
2-methylisothiazol-3(2H)-one	Кос	Non-applicable	Henry	0E+0 Pa·m³/mol	
CAS: 2682-20-4	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 220-239-6	Surface tension	Non-applicable	Moist soil	Non-applicable	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m³/mol	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes	
EC: 200-661-7	Surface tension	2.24E-2 N/m (25 ºC)	Moist soil	Yes	

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2-methylisothiazol-3(2H)one, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, 1,2-benzisothiazol-3(2H)-one.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable





Date of compilation: 25/07/2023 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4) ; N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Product-type 2, 3, 4, 6, 8, 11, 12, 13) ; 2-methylisothiazol-3(2H)-one (Product-type 6, 11, 12, 13) ; 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Anionic surfactants	5 <= % (w/w) < 15
perfumes	

Allergenic fragrances: 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (alpha-ISOMETHYL IONONE), benzyl alcohol (BENZYL ALCOHOL), Citronellol (CITRONELLOL), Linalool (LINALOOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE).

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885 Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:





Date of compilation: 25/07/2023 Version: 1 SECTION 16: OTHER INFORMATION (continued) H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. H317: May cause an allergic skin reaction. Texts of the legislative phrases mentioned in section 3: The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: Acute Tox. 2: H330 - Fatal if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eve Dam. 1: H318 - Causes serious eve damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure (Oral). STOT SE 3: H336 - May cause drowsiness or dizziness. **Classification procedure:** Eye Irrit. 2: Calculation method Aquatic Chronic 3: Calculation method Skin Sens. 1A: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. **Principal bibliographical sources:** http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.